

Parent-Child Mindfulness-Based Training: A Feasibility and Acceptability Study

Journal of Evidence-Based Integrative Medicine
Volume 26: 1-11
© The Author(s) 2021
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/2515690X211002145
journals.sagepub.com/home/cam



Courtney H. Guenther, PhD¹, Rebecca L. Stephens, PhD² ,
Macy L. Ratliff, MS², and Sarah J. Short, PhD^{2,3} 

Abstract

Stress in young children can interfere with academic achievement. To help address stress and aid in developing beneficial lifelong coping skills, educational systems are more widely incorporating programs that teach social and emotional regulation, such as mindfulness-based programs. The effects of these programs may be strengthened through parental support in the home environment. This study examined the feasibility and acceptability of a new Parent-Child Mindfulness-Based Training (PC-MBT) program, which delivered mindfulness-based training to parents and children simultaneously in the home environment. This study also implemented a working memory training after PC-MBT to assess the feasibility of completing two trainings sequentially. Healthy children, ages 8-10 ($n = 14$), and their parents participated in the PC-MBT program. They met with an instructor at home and online each week for 6 weeks and were provided resources including books, worksheets, audio recordings, and daily practices to reinforce mindfulness skills. A control group ($n = 8$) participated in the working memory training only. All PC-MBT and control children, except one, participated in the working memory training. All PC-MBT assigned families completed the PC-MBT program, and a majority utilized all types of the mindfulness training materials. A majority of participants also reported high levels of enjoyment and understanding of the PC-MBT program. This study establishes the feasibility and acceptability of the PC-MBT program and lays the foundation for future studies to assess program efficacy in healthy and clinical populations as well as the utility of PC-MBT to improve engagement and outcomes of other cognitive training programs.

Keywords

mindfulness, parent, child, feasibility, acceptability

Received December 11, 2020. Received revised December 11, 2020. Accepted for publication February 20, 2021.

Introduction

Stressful circumstances can interfere with memory, higher-order cognitive processes, and academic performance, and there is evidence that this occurs even in young children.¹ Multiple studies have demonstrated the success of mindfulness training for stress reduction in clinical and non-clinical adult populations.^{2,3} The success of Mindfulness-Based Stress Reduction (MBSR) programs has led to the development and implementation of similar programs in K-12 curricula with promising results, particularly for reducing perceived stress and improving cognitive performance.⁴ While research has demonstrated support for programs in schools, very few studies have examined mindfulness programs that train parents and children together in the home environment.

Traditionally, school-based training programs have been designed to improve foundational cognitive skills such as

working memory and other domain-general functions that support academic achievement.^{5,6} Now, however, there is widespread recognition that many students need instruction specific to the development of emotion-regulation skills and techniques that mediate the stress response.⁷ Self-regulation and aspects of socioemotional competence are linked to academic achievement and numerous aspects of long-term well-being.^{8,9} This

¹ Department of Biology, Winthrop University, Rock Hill, SC, USA

² Department of Psychiatry, University of North Carolina, Chapel Hill, NC, USA

³ Department of Educational Psychology and Center for Healthy Minds, University of Wisconsin-Madison, USA

Corresponding Author:

Sarah J. Short, Department of Educational Psychology, University of Wisconsin-Madison, 1025 W Johnson St. Madison, WI 53706, USA.
Email: sjshort@wisc.edu



Table 1. Sample Demographics for PC-MBT Participants.

| Demographics | Mindfulness (n = 14), N (%) | Control (n = 8), N (%) | Total (n = 22), N (%) |
|---------------|-----------------------------|------------------------|-----------------------|
| Gender (male) | 6 (42.9%) | 5 (62.5%) | 11 (50%) |
| Race (white) | 13 (93%) | 8 (100%) | 21 (95%) |
| Age (years) | M = 9.82, SD = 1.03 | M = 9.30, SD = 0.86 | M = 9.63, SD = 0.98 |

body of work highlights the importance of supporting and improving the development of socioemotional competence in children, and for this reason, many schools now incorporate socioemotional learning and mindfulness training for teachers and students.¹⁰

The prevalence of anxiety and stress-related disorders among youth has also led to a growing interest in mindfulness training programs for this age range.^{7,11} Anxiety can impact attentional control, leading to deficits in concentration, thus hampering performance during high-stakes testing and novel learning scenarios.^{12,13} Unfortunately, one consequence of perceived stress is that cognitive resources are usurped and cannot be allocated during challenging learning opportunities.¹³⁻¹⁵ This is highly problematic for children with anxiety who are more likely to score lower on tests and have lower overall academic achievement.¹⁶

Developing regulatory strategies to manage stressors early in life could optimize learning conditions and allow children to perform at their best.^{17,18} Additionally, research has demonstrated that children are capable of learning and using MBSR techniques to manage stressful circumstances and consciously direct their attention. For example, children as young as 9 years old can learn to apply stress management techniques in a period as short as 6 weeks,¹⁹ and children in Grades 4-6 are able to incorporate mindfulness-based practices (e.g., progressive muscle relaxation) after only 5 sessions.²⁰ Positive effects of mindfulness programs in school settings include decreased negative affect,²¹ increased optimism,¹⁸ lower levels of stress, and a greater sense of well-being²² in children ranging from 7 to 16 years of age. Although schools are implementing various mindfulness programs, there are few programs to date that deliver mindfulness-based training to parents and children simultaneously.²³ Therefore, this study examined the feasibility and acceptability of a new parent-child mindfulness-based training program (PC-MBT) delivered in the home setting with training focused on individual family units.

Late childhood, around ages 8-10 years, provides a prime window of opportunity for parents to support their children's socioemotional development using mindfulness practices. In this age range, children's developing metacognitive abilities, language skills, and executive control may allow for the awareness of internal thoughts and emotions, as well as the ability to regulate counterproductive emotional responses and behavior.²³⁻²⁵ At the same time, children at this stage of development are not quite prepared to cultivate mindfulness skills independently and would benefit greatly from additional parental support.²⁶ At this stage, just prior to adolescence, parents still play an influential role in guiding their children's

behavior.^{26,27} Accordingly, late childhood emerges as the optimal developmental stage in which to study the benefits of mindfulness practices in a home setting.

Although the addition of parental training in mindfulness programs is rather unique, clinical practitioners point to a "shared understanding and practice" and "the ability of the joint intervention to target the home environment" as beneficial outcomes for a program aimed at parents and their children.²⁸ Additionally, established programs such as *The Incredible Years* and *Strengthening Families 10-14* have had success in decreasing some of the negative consequences (such as substance abuse and behavior problems) surrounding childhood stress.²⁹ These data suggest that engaging parents in mindfulness programs with their children may strengthen outcomes for the entire family. The current study builds on this previous research by providing mindfulness-based training to parents and children simultaneously.^{23,30}

The first step in implementing a new intervention program includes assessing the feasibility and acceptability of the intervention within a healthy, normative population.^{31,32} Therefore, the focus of this study was to assess the feasibility and acceptability of the Parent Child Mindfulness-Based Training (PC-MBT) program, delivered in the home, to a sample of parents and typically developing children between 8 and 10 years of age. In addition, the PC-MBT was followed by a working memory training program with the same children, which allowed the research team to assess the feasibility of completing two trainings sequentially. We hypothesized that there would be high levels of feasibility and acceptability of the PC-MBT program and that improvements in working memory would be achieved, thus indicating feasibility of completing these two trainings sequentially.

Methods

Participants

Healthy, typically developing children between the ages of 8 and 10 years (mean age = 9.63 years, SD = 0.98) and their parent(s) were recruited through community flyers and online postings. Exclusion criteria included prior psychiatric or neurodevelopmental diagnoses in children, previous formal training in mindfulness practices (children or parents), and expected major life transitions (e.g., relocation) during the time period surrounding the study. Of the 45 families in the initial recruitment pool, 22 were eligible (see Table 1 for participant demographics). Parents provided their written consent and permission for their children to participate; children provided written assent. Families were randomly assigned to the PC-MBT group (children: n = 14, males = 6) or wait-list control group (children: n = 8, males = 5). The waitlist control group had the option of receiving the

PC-MBT program when the study was complete; a majority of control families did go on to participate in the PC-MBT program. Only one family decided not to continue with the working memory training after they completed the mindfulness training, stating time restraints as the limitation. All participants, with the exception of two children, completed all 30 sessions of the working memory training program within the 6-week training period. The two children completed 23 and 24 of 30 training sessions, respectively.

Parent-Child Mindfulness Based Training (PC-MBT)

The PC-MBT course was designed using core principles from Jon Kabat-Zinn's MBSR program.³ Curriculum materials were further modeled after two established mindfulness programs for young children that have been used in both clinical settings and schools: *Mindful Schools Elementary Curriculum*³³ and *A Still Quiet Place*.³⁴ The PC-MBT program took place over 6 weeks, providing families with in-home training for 1 hour each week with the same instructor (M.R.) who had extensive experience working with children and was certified in both the *Mindful Schools* and *A Still Quiet Place* curriculums. All members of the family were invited and encouraged to participate in the weekly in-home sessions. Families also participated in 15 minutes of online, virtual training each week. Online sessions were designed to reinforce the content presented during the in-home sessions and offered families the opportunity to address questions and problem-solve around any obstacles to completing the independent daily practices.

Weekly themes of the PC-MBT program were reinforced with daily practices and activities that families were encouraged to complete independently. Each week, children were assigned daily practices and parents were asked to choose their own daily practice and to record this information, as well as the frequency of daily practices, on their record logs. Examples of daily practices included mindful eating and walking and noticing thoughts and feelings. Materials for the weekly activities included books, audio recordings, and worksheets. The same books were utilized by both parents and children. Some audio recordings differed for children and parents in order to provide age-appropriate instruction on certain mindfulness concepts. The children's worksheets reinforced mindfulness concepts through activities, while the parents' worksheets consisted of a log to keep track of the mindfulness practices they completed. Parents and children logged their engagement with these materials on a weekly basis. See Table 2 for additional details on program structure and content.

Assessment of PC-MBT Program Feasibility and Acceptability

Parents and children completed weekly questionnaires to provide measures of study compliance, participants' understanding of the course content, participants' levels of weekly/daily engagement with home practice materials, and overall satisfaction of the PC-MBT program.

The PC-MBT program feasibility was assessed by measuring how often parents and children participated in trainings, both in-home and online, and the degree to which parents and children engaged in weekly activities (i.e., books, worksheets, and audio recordings) and daily practices (e.g., mindful eating, noticing feelings, etc.). Engagement with home practice materials was calculated from parents' and children's weekly practice logs. Scores for each week were calculated

using a 5-point Likert scale, and mean (and SD) scores for parents and children were calculated across all 6 weeks of the PC-MBT program.

Self-reports of enjoyment and understanding of mindfulness training materials were collected using a 5-point Likert scale ranging from 0 ("Strongly disagree") to 4 ("Strongly agree"). This data provided measures of PC-MBT program acceptability. Questionnaires to assess acceptability were developed by the research team.

Mindfulness Measures

Determining the efficacy of the PC-MBT program was not the focus of this feasibility study; however, we chose to collect data on the following mindfulness measures as a reference for future studies: the *Five Facet Mindfulness Questionnaire*³⁵ and the *Mindful Attention Awareness Scale*,³⁶ which were completed by parents. Children completed the *Child & Adolescent Mindfulness Measure* (CAMP).³⁷ Both control and intervention groups completed these measures. These self-report questionnaires were collected prior to participation in the study to provide baseline data, 6 weeks later (control) or after the PC-MBT program (intervention group), and again 6 weeks after children completed the working memory training program (control and intervention groups). See Supplementary Materials for additional information.

Working Memory Training

After completing the PC-MBT program, or a 6-week wait period, all children completed a computerized adaptive working memory training program (CogmedRM) for a total of 30 training sessions over a 6-week period. Families were provided with desktop computers, login credentials to access the memory training program online, and an external camera to monitor fidelity of children's training at home. Children also selected a prize that would serve to incentivize completion of training each week. Children trained at home for 45 minutes per day, 5 days per week on visuospatial and sequencing working memory exercises. Each training session consisted of 3 exercises that were randomly assigned from a battery of 8 working memory exercises. The number of presentations for each exercise was consistent across the training program for every participant. Training related improvements in working memory were calculated as change scores for each participant by subtracting the start index score from the max improvement score in the Cogmed program. Confirming expected improvements in working memory was important for determining overall feasibility of combining the PC-MBT and working memory training programs.

Data Analysis

Parent's and children's level of engagement with home training materials (i.e., worksheets, audio recordings, books, and daily practices) were calculated from weekly practice logs. For families with both parents participating in the mindfulness training ($n = 2$), we only analyzed data provided by the parent who was more involved. Scores were summarized on a 5-point Likert scale, means and SD are shown in Figure 1A and B.

The level of enjoyment and understanding that materials provided was captured each week from parents and children using a 5-point Likert scale from 0 ("Strongly disagree") to 4 ("Strongly agree"). Means and SD are shown in Figure 2A and B. Details regarding the statistical analysis of scores on mindfulness measures across time can be found in the Supplementary Materials.

Table 2. Parent-Child Mindfulness Based Training (PC-MBT) Program.**Week 1: Mindfulness Foundations****Goal:** Use senses as a foundation for mindfulness**Concepts:**

- Introduction to Mindfulness
- Mindful Bodies (body scan)
- Mindful Listening (far, close, near)
- Mindful Eating (interconnection)
- Mindful Breath (anchor words)
- Group Guidelines
- Home Practice Rationale and Overview

Books:

- Silence
- What Does It Mean To Be Present

Worksheets:

- Mindful bodies
- Mindful listening
- Mindful breathing

CD Tracks:

- Still Quiet Place
- Treasure
- Adult Intro

Activities:

Mindful teeth brushing (or similar activity)

Online:

Mindfulness definition, mindful bodies, mindful listening, mindful breathing

Week 2: Building Awareness and Strengthening Attention**Goal:** Beginning again, reinforce foundations, expand/deepen practices**Concepts:**

- Being present (noticing pleasant events)
- Mindful movement (seaweed)

Books:

- I Am Yoga
- No Ordinary Apple

Worksheets:

- Body scan
- Mindful seeing
- Mindful eating

CD Tracks:

- Body Scan

Activities:

Remove shoes mindfully, one mindful bite, noticing pleasant events

Online:

Mindful breathing revisited, emphasis on anchors/words

Week 3: Awareness of Thoughts**Goal:** Bring awareness to thoughts, notice the unkind mind, practice the kind mind**Concepts:**

- Sustained attention
- Awareness of thoughts (bubbles)
- Story Telling Brain (the Big Event)
- Unkind mind discussion
- Self-talk (action circle movement)
- Kind mind (loving kindness)

Books:

- Tiger-Tiger Is It True?
- Pout-Pout Fish

Worksheets:

- Heartfulness
- Kind Thoughts
- Page of Kind Thoughts

CD Tracks:

Thought Watching

Activities:

Notice unkind mind and practice kind mind

Online:

Loving kindness practice and sending kind thoughts

Week 4: Awareness of Emotions**Goal:** Thoughts and feelings are connected, awareness of emotions in mind and body, universality of feelings, befriending emotions, self-compassion**Concepts:**

- Discuss thoughts and feelings are connected
- Recognizing emotions (Show me tell me)
- Why we want to be aware of our thoughts and emotions (glitter jar)
- Notice thoughts and feelings (unpleasant event)
- Self-compassion (expands on kind mind and befriending difficult emotions)

Books:

- Visiting Feelings
- Alexander's Horrible, Terrible, No Good, Very Bad Day

Worksheets:

- Being mindful of strong emotions
- Body awareness

CD Tracks:

- Feelings
- Loving kindness

Activities:

Noticing unpleasant events, practice loving kindness toward self (or other)

Online:

Focus on topics from home session, practice extending time focused on breath, loving kindness

(continued)

Table 2. (continued)

| Week 5: Mind-Body Connection | Week 6: Mindfulness in Everyday Life |
|--|--|
| Goal: Choose a response instead of reacting to difficult situations, body/mindful movement, cultivate compassion | Goal: Accepting things as they are, choose response instead of reacting, practice compassion |
| Concepts: <ul style="list-style-type: none"> • Sustained attention on breath (4 × 4 breathing technique) • Notice thoughts, feelings, bodily sensations (glitter jar) • Responding v. reacting (ABC and story from Master of Mindfulness book) • Notice patterns and choose response (holes and different streets) • Mind-body connection (mindful movement) | Concepts: <ul style="list-style-type: none"> • Noticing expectations increase suffering (preferences discussion) • Gratitude practice (Toni Robbins recording) • Summary of course materials (poster creation, ABC, flashlight) • Mindful walking • Loving kindness (extended version) |
| Books: <ul style="list-style-type: none"> • Master Of Mindfulness | Books: <ul style="list-style-type: none"> • Zen Shorts • Your Fantastic Elastic Brain! |
| Worksheets: <ul style="list-style-type: none"> • Holes and different streets • Mindful test taking • Kind and caring on the playground | Worksheets: <ul style="list-style-type: none"> • Generosity • Gratitude • Wrap Up |
| CD Tracks: <ul style="list-style-type: none"> • Mindful movement (Dzung Vo)—for parents | CD Tracks: <ul style="list-style-type: none"> • Mindful Walking (Dzung Vo) • Mindful walking (Master of mindfulness) |
| Activities: Noticing holes and trying different streets, mindful movement cards. | Activities: Responding v. reacting, gratitude |
| Online: Choosing our behavior in everyday life: kind and caring on the playground, responding v. reacting | Online: 2+2, review/reinforce responding v. reacting |

In order to determine the feasibility of working memory training after mindfulness training, CogMed Performance Index (CPI) scores were analyzed. This score reflects children's working memory improvement over the course of the training. Student's *t*-tests were run to confirm that improvement, as measured by CPI, was significantly greater than zero for both the full sample and the mindfulness group independently.

Results

Feasibility of PC-MBT (Engagement)

In this study, all participants (parents and children) successfully completed the PC-MBT program, including attending all training sessions (in person and online) across the 6-week program. Parents' and children's weekly practice logs and completed worksheets were collected each week and used to determine which materials participants engaged with and how often (Figure 3). Four families utilized all home practice materials every week of the program. A majority of families (11 of 14) utilized all 3 types of home practice materials throughout the program. The remaining 3 families all reported utilizing the books, which parents and children read together. Of the 11 families that utilized all 3 resources, 9 families reported using the books all 6 weeks of the training compared to 8 families that used worksheets and 5 that reported using the audio recordings every week of the program (Figure 3).

Across participants, mean engagement scores show that both children and parents utilized most of the home practice materials each week of the PC-MBT program (Figure 1A).

Overall, 79% of families regularly engaged with home practice materials to support the weekly training topics. While perhaps not a surprise, it is important to note that parents' level of engagement is mirrored by their children (Figure 1B). For those families who were less engaged, time and schedule were reported as the greatest barriers to completing daily practice exercises and engaging with home practice materials.

A large majority of families also reported that they completed activities for daily practice (mindful eating, mindful showering, etc.). On average, across the 6-week program, participants engaged with prescribed and self-identified daily practices most of the time (approximately 4 days of the week).

Acceptability of PC-MBT (Enjoyment and Understanding)

The majority of participants reported high levels of enjoyment and understanding of the PC-MBT program content, specifically the in-person and online trainings, as well as the home practices and materials (daily practices, audio recordings, books, and worksheets). On average, across all 6 weeks of training, children and parents rated the in-person and online trainings as useful.

Among the home practice materials, the mindfulness books were rated as the most enjoyable training tool by both parents and children (Figure 2A and B). Specifically, families gave the highest rating to the following books: *No Ordinary Apple* by Sara Marlowe³⁸ and *Zen Shorts* by Jon Muth.³⁹ When asked if they enjoyed the books, children on average, across all 6 weeks, strongly agreed ($M = 4.55$, scale of 1-5) and reported that




Figure 1. A, Children and parent’s engagement with training materials (M and SD). Training materials for each week included worksheets, audio recordings, books, and daily practices. All = engagement with all home training and completion of daily practices; Most = engagement with all home training materials and some daily practice; Some = engagement with some training materials and/or home practices; Minimal = engagement with one of the training materials and/or daily practice; None = no reported engagement or independent practice for that training week. B, Child’s engagement mirrors their parent’s engagement across training (M and SD for individual children and their parents). All = engagement with all home training and completion of daily practices; Most = engagement with all home training materials and some daily practice; Some = engagement with some training materials and/or home practices; Minimal = engagement with one of the training materials and/or daily practice; None = no reported engagement or independent practice for that training week.

the books helped them to understand the program content. Children’s average ratings for worksheets ($M = 3.67$) and audio recordings ($M = 3.57$) were lower (between neutral and agree) on the rating scale. All families reported high levels of enjoyment during the training, and books were reported as the most highly used resource of the three home practice options.

Children and parents reported that the daily practice was useful ($M = 3.93$ and $M = 3.89$, respectively). Comments from parents included, “[The daily practices] are such a great way to focus and center our family,” and “We all did this as a family one day when everyone was a bit out of sorts—it was very helpful!” Children said they found the home practices “fun” and “relaxing.”




Figure 2. A, Children rate mindfulness books as most enjoyable. M (SD) for children's ratings of the home training materials by week. B, Parent's ratings (M and SD) of enjoyment and understanding of the home training materials.

Mindfulness Measures

See Supplementary Materials for information about mindfulness measures, as training efficacy was not the focus of this feasibility and acceptability study.

Working Memory Training

Although not the main focus of this study, working memory in children was also measured before and after the working memory training to assess the fidelity of training and to address the feasibility aim of this study. As expected, analysis of the CogMed Performance Index (CPI) scores showed significant improvement across the full sample ($t(20) = 15.02, p < .0001$), as well as, the mindfulness training group specifically

($t(12) = 10.66, p < .0001$), demonstrating that working memory improved after Cogmed training, even when that training immediately followed mindfulness training. This finding provides support for the feasibility of combining the mindfulness and working memory training programs.

Discussion

This study examined the feasibility and acceptability of a new parent-child mindfulness-based training program (PC-MBT) delivered in the home setting. All participants successfully completed the PC-MBT program and a majority reported high levels of enjoyment and understanding of the 6-week program. By demonstrating feasibility of the PC-MBT program within a




Figure 3. Children’s engagement with home training materials (worksheets, audio, and books). Data are presented individually for each child participant, with the colored bars showing the number of weeks that each of the materials were utilized. Bolded sections indicate when participants utilized a training material during all 6 weeks of the PC-MBT program.

normative population of children and their parents, this study lays the foundation for further studies to explore the efficacy of PC-MBT and its potential impact on cognitive performance, attentional control, and stress in children. For example, PC-MBT may be particularly relevant for children who experience anxiety as traditional MBSR programs have demonstrated reduced anxiety in adults.^{2,3} Anxiety disorders, with a median onset age of 11 years old, rank among the most prevalent class of mental disorders in adolescents and adults.¹¹ Teaching children and their families healthy coping strategies through PC-MBT or similar programs, prior to the onset of clinical symptoms, may provide families alternate treatment options and possibly serve as a means of mitigating the deleterious effects of anxiety disorders.

A unique aspect of the PC-MBT program is that training is completed in the home. There are several advantages to teaching the PC-MBT program in the home. These include children being more comfortable in the home setting and an instructor who is able to observe the home environment and respond to each family’s specific needs within their home setting. Practicing and developing mindfulness skills within the home context is also likely to foster further practice and implementation of these skills in the home, where the majority of time is spent with family members. As schools are implementing more social and emotional learning into their teaching competencies,¹⁰ training parents with their children in the home may additionally strengthen outcomes by encouraging out-of-school practice.^{23,28,29} The importance of parental inclusion is supported in our study as child engagement mirrored parent engagement in PC-MBT (Figure 2B).

Our study provides evidence of both the feasibility and acceptability of this parent-child mindfulness program. When feasibility and acceptability are reported, previous studies examining mindfulness programs in schools suggest high acceptability among students and teachers.⁴ Our participants similarly reported high levels of acceptability. Although families engaged with all mindfulness materials, including books, audio recordings, and worksheets, books were the preferred method of support materials (Figure 3). Books provide a “joint object of reference” for parents and children to discuss “story characters’ feelings and thoughts.”⁴⁰ In particular, children’s storybooks may aid in the development of positive cognitive empathy through perspective-taking and out-group connection.⁴⁰ Shared reading between parents and children allows parents to discuss mental states of the characters and introduce emotional words that may promote empathy⁴⁰ and influence children’s theory of mind development.⁴¹ In our study, books allowed parents and children to engage in discussions about compassion, which were then reinforced through mindfulness practices. Collectively, our study suggests that for parents who engaged with program materials on a limited basis, books were the most accessible, enjoyable, and most frequently used resource to teach mindfulness to both children and parents. Future studies implementing PC-MBT may want to consider utilizing books as the primary tool for connecting parents and their children with mindfulness and may even wish to examine more specifically which books best reinforce mindfulness practices.

Our results also support the feasibility of sequential trainings, as children completed two consecutive trainings:

PC-MBT and working memory. Children in this study showed improvement in working memory after 6 weeks of Cogmed training, even when that training immediately followed 6 weeks of mindfulness training. This finding lays the foundation for future studies to examine whether mindfulness training prior to cognitive training improves the impact of the cognitive training (for example, leading to increased improvement in working memory).

Study Limitations and Future Research Directions

This pilot study helped establish the feasibility and acceptability of a new parent-child mindfulness program. Due to the nature of the pilot study, the scope of this study was limited in several respects. For example, the study sample was small in size and some data were not available as some participants did not complete all questionnaires. The study sample was comprised of a healthy, normative participant pool as this is often considered the first step for examining feasibility and acceptability of a new program. However, now that feasibility and acceptability have been established, future studies of the PC-MBT program will need to include a broader sample of children and their parents to include a more diverse sample, potentially including individuals with mobility issues, and children who suffer from anxiety or attentional deficits.

Although not the focus of this study, mindfulness measures were collected (see Supplemental Materials), and it is noteworthy that some baseline scores differed between groups. This is an important consideration for future studies examining efficacy of the PC-MBT program and will need to be addressed from the outset if control and treatment groups are randomly assigned. It is also important to note that few, if any, mindfulness measures are age-appropriate for the children (ages 8-10) included in this study. At the time of this program, the CAMM questionnaire was the best available measure for children although it is recommended for children ages 11 years and older (Supplementary Table 1). Development of age-appropriate mindfulness measures will be necessary to adequately assess efficacy of future PC-MBT programs.

Future research with the PC-MBT program will also need to consider additional challenges when expanding this work as parental engagement in the home environment may be limited due to socioeconomic status, employment, and mental health. It will be necessary to examine parental stressors that may also impact the program's fidelity in more diverse populations. On the other hand, PC-MBT also provides the opportunity for families with low socioeconomic status, limited access to transportation, or parents with more than one child to complete training in the home, which may not have been possible if the training was offered in a group setting outside of the home, with scheduling that may not have fit the family's needs. It is also possible that greater flexibility for families through training in the home may actually create a more inclusive environment for those families who may not otherwise have access to mindfulness training.

Conclusion

This study is one of the first to explore a mindfulness program (PC-MBT) that includes both parents and children training simultaneously in the home setting. With 100% of participants finishing the PC-MBT program and high levels of reported engagement and enjoyment, this work has established the PC-MBT program as both feasible and acceptable within a normative population. Following PC-MBT with additional cognitive training (i.e., working memory training), is also feasible as children completed the training and demonstrated expected improvements in working memory. This study lays the foundation for further research into PC-MBT efficacy and to begin feasibility and acceptability testing with clinical populations, particularly for children who experience anxiety. Additional studies should also examine the efficacy of PC-MBT for enhancing outcomes from subsequent cognitive training programs.

Authors' Note

Courtney Guenther—Writing original draft, review and editing. Rebecca Stephens—Data collection, analyses, review and editing of manuscript. Macy Ratliff—Mindfulness instructor, data collection, review and editing of manuscript. Sarah Short—Conceptualization, formal analysis, investigation, review and editing, supervision. This study was approved by the University of North Carolina at Chapel Hill Institutional Review Board (Protocol #: 15-2203).

Acknowledgments

The authors would like to thank all of the parents and children who participated in this study. They also wish to acknowledge the following individuals for their support and guidance during the development of this study: Barbara Goldman and Maggie Fox at Frank Porter Graham Child Development Institute, John H. Gilmore and Karen Bluth with the Psychiatry Department at UNC-Chapel Hill, and Sarah Jarvis at UNC-Chapel Hill. The authors are grateful to Elizabeth O'Callaghan at UW-Madison for her review and editorial comments on the manuscript.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This work was supported by the Mind & Life Institute Francisco J Varela Research Award [2013-Varela-Short, Sarah] and K01-MH099411.

ORCID iDs

Rebecca L. Stephens, PhD  <https://orcid.org/0000-0003-2614-7679>
Sarah J. Short, PhD  <https://orcid.org/0000-0003-0985-999X>

Supplemental Material

Supplemental material for this article is available online.

References

1. Shonkoff JP, Garner AS. Committee on Psychosocial Aspects of Child and Family Health, Committee on Early Childhood, Adoption, and Dependent Care, The lifelong effects of early childhood adversity and toxic stress, Section on developmental and behavioral pediatrics. *Pediatrics*. 2012;129(1):e232-e246. doi.org/10.1542/peds.2011-2663
2. Grossman P, Niemann L, Schmidt S, Walach H. Mindfulness-based stress reduction and health benefits: a meta-analysis. *J Psychosom Res*. 2004;57(1):35-43. doi.org/10.1016/S0022-3999(03)00573-7
3. Kabat-Zinn J. Full catastrophe living: revised and updated edition. Bantam books; 2013.
4. Zenner C, Herrnleben-Kurz S, Walach H. Mindfulness-based interventions in schools—a systematic review and meta-analysis. *Front Psychol*. 2014;5(603):1-20. doi.org/10.3389/fpsyg.2014.00603
5. Diamond A, Lee K. Interventions shown to aid executive function development in children 4 to 12 years old. *Science*. 2011;333(6045):959-964. doi.org/10.1126/science.1204529
6. Klingberg T. Training and plasticity of working memory. *Trends Cogn Sci*. 2010;14(7):317-324. doi.org/10.1016/J.TICS.2010.05.002
7. Greenberg MT, Weissberg RP, O'Brien MU, et al. Enhancing school-based prevention and youth development through coordinated social, emotional, and academic learning. *Am Psychol*. 2003;58(6-7):466-474. doi.org/10.1037/0003-066X.58.6-7.466
8. Blair C. School readiness: integrating cognition and emotion in a neurobiological conceptualization of children's functioning at school entry. *Am Psychol*. 2002;57(2):111-127. doi.org/10.1037/0003-066X.57.2.111
9. Moffitt TE, Arseneault L, Belsky D, et al. A gradient of childhood self-control predicts health, wealth, and public safety. *Proc Natl Acad Sci U.S.A.* 2011;108(7):2693-2698. doi.org/10.1073/pnas.1010076108
10. CASEL. Collaborative for Academic, Social, and Emotional Learning. Accessed 2021. <https://casel.org/>
11. Bandelow B, Michaelis S. Epidemiology of anxiety disorders in the 21st century. *Dialogues Clin Neurosci*. 2015;17(3):327-335.
12. Bishop SJ. Trait anxiety and impoverished prefrontal control of attention. *Nat Neurosci*. 2009;12(1):92-98. doi.org/10.1038/nn.2242
13. Eysenck MW, Derakshan N, Santos R, Calvo MG. Anxiety and cognitive performance: attentional control theory. *Emotion*. 2007;7(2):336-353. doi.org/10.1037/1528-3542.7.2.336
14. Hayes S, Hirsch C, Matthews A. Restriction of working memory capacity during worry. *J Abnorm Psychol*. 2008;117(3):712-717. doi.org/10.1037/a0012908
15. Stefanopoulou E, Hirsch CR, Hayes S, Adlam A, Coker S. Are attentional control resources reduced by worry in generalized anxiety disorder? *J Abnorm Psychol*. 2014;123(2):330-335. doi.org/10.1037/a0036343
16. von der Embse N, Barterian J, Segool N. Test anxiety interventions for children and adolescents: a systematic review of treatment studies from 2000-2010. *Psychol Sch*. 2013;50(1):57-71. doi.org/10.1002/pits.21660
17. Mendelson T, Greenberg MT, Dariotis JK, Gould LF, Rhoades BL, Leaf PJ. Feasibility and preliminary outcomes of a school-based mindfulness intervention for urban youth. *J Abnorm Child Psychol*. 2010;38(7):985-994. doi.org/10.1007/s10802-010-9418-x
18. Schonert-Reichl KA, Lawlor MS. The effects of a mindfulness-based education program on pre- and early adolescents' well-being and social and emotional competence. *Mindfulness*. 2010;1(3):137-151. doi.org/10.1007/s12671-010-0011-8
19. Zaichkowsky LB, Zaichkowsky LD. The effects of a school-based relaxation training program on fourth grade children. *J Clin Child Psychol*. 1984;13(1):81-85. doi.org/10.1080/15374418409533174
20. Lohaus A, Klein-Hessling J. Relaxation in children: effects of extended and intensified training. *Psychol Health*. 2003;18(2):237-249. doi.org/10.1080/0887044021000057257
21. Vickery CE, Dorjee D. Mindfulness training in primary schools decreases negative affect and increases meta-cognition in children. *Front Psychol*. 2016;6(2025):1-13. doi.org/10.3389/fpsyg.2015.02025
22. Kuyken W, Weare K, Ukoumunne OC, et al. Effectiveness of the mindfulness in schools programme: non-randomized controlled feasibility study. *Br J Psychiatry*. 2013;203(2):126-131. doi.org/10.1192/bjp.bp.113.126649
23. Saltzman A, Goldin P. Mindfulness-based stress reduction for school-age children. In: Greco LA, Hayes SC, eds. *Acceptance and Mindfulness Treatments for Children and Adolescents: A Practitioner's Guide*. New Harbinger Publications; 2008; 139-161.
24. Flavell JH. Metacognition and cognitive monitoring: a new area of cognitive-developmental inquiry. *Am Psychologist*. 1979;34(10):906-911. doi.org/10.1037/0003-066X.34.10.906
25. Veenman MVJ, Spaans MA. Relation between intellectual and metacognitive skills: age and task differences. *Learn Individual Diff*. 2005;15(2):159-176. doi.org/10.1016/j.lindif.2004.12.001
26. Eccles JS. The development of children ages 6 to 14. *Future Child*. 1999;9(2):30-44. doi.org/10.2307/1602703
27. Lam CB, McHale SM, Crouter AC. Time with peers from middle childhood to late adolescence: developmental course and adjustment correlates. *Child Dev*. 2014;85(4):1677-1693. doi.org/10.1111/cdev.12235
28. Racey DN, Fox J, Berry VL, et al. Mindfulness-based cognitive therapy for young people and their carers: a mixed-method feasibility study. *Mindfulness*. 2018;9(4):1063-1075. doi.org/10.1007/s12671-017-0842-7
29. Centers for Disease Control and Prevention. *Preventing Adverse Childhood Experiences: Leveraging the Best Available Evidence*. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. Accessed 2021. https://www.cdc.gov/violenceprevention/pdf/preventingACES.pdf?deliveryName=USCDC_300-DM31480
30. Felver JC, Tipsord JM, Morris MJ, Racer KH, Dishion TJ. The effects of mindfulness-based intervention on children's attention regulation. *J Attention Dis*. 2017;21(10):872-881. doi.org/10.1177/1087054714548032
31. Bowen DJ, Kreuter M, Spring B, et al. How we design feasibility studies. *Am J Prev Med*. 2009;36(5):452-457. doi.org/10.1016/j.amepre.2009.02.002

32. Craig P, Dieppe P, Macintyre S, et al. Developing and evaluating complex interventions: the new medical research council guidance. *BMJ*. 2008;337:a1655. doi.org/10.1136/bmj.a1655
33. Mindful Schools. Mindful Schools Curriculum Kindergarten—5th Grades. Oakland, CA. Accessed 2021. <http://www.mindfulschools.org/training/mindful-educator-essentials>
34. Saltzman AA. Still quiet place: a mindfulness program for teaching children and adolescents to ease stress and difficult emotions. New Harbinger Publications; 2014.
35. Baer RA, Smith GT, Hopkins J, Krietemeyer J, Toney L. Using self-report assessment methods to explore facets of mindfulness. *Assessment*. 2006;13(1):27-45. doi.org/10.1177/1073191105283504
36. Brown KW, Ryan RM. The benefits of being present: mindfulness and its role in psychological well-being. *J Pers Soc Psychol*. 2003;84(4):822-848. doi.org/10.1037/0022-3514.84.4.822
37. Greco LA, Baer RA, Smith GT. Assessing mindfulness in children and adolescents: Development and validation of the Child and Adolescent Mindfulness Measure (CAMM). *Psychol Assess*, 2011;23(3):606-614. doi.org/10.1037/a0022819
38. Marlowe S. *No Ordinary Apple: A Story About Eating Mindfully*. Wisdom Publications; 2013.
39. Muth JJ. *Zen Shorts*. Scholastic Press; 2005.
40. Kurcikova N. How could children's storybooks promote empathy? A conceptual framework based on developmental psychology and literary theory. *Front Psychol*. 2019;10(121):1-15. doi.org/10.3389/fpsyg.2019.00121
41. Symons DK, Peterson CC, Slaughter V, Roche J, Doyle E. Theory of mind and mental state discourse during book reading and storytelling tasks. *Br J Dev Psychol*. 2005;23(1):81-102. doi.org/10.1348/026151004X21080